

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1216	(711/135,137).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/02/16 15:59
L4	0	((program ADJ state\$1) AND (short ADJ liv\$3) AND object\$1 AND tim\$3 AND discover\$3 AND cach\$3 AND flush\$3 AND execut\$3).clm. AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 16:06
L5	0	((program ADJ state\$1) AND ag\$3 AND threshold\$1 AND ((pre ADJ fetch\$3) OR prefetch\$3) AND memor\$3 AND execut\$3).clm. AND L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 16:07

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	598742	@pd>"20050927"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:03
L2	195711	((program\$1 ADJ state\$1) OR data OR datum OR information OR address\$3) near3 program\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:07
L3	2111696	((short ADJ lived) OR temp OR temporary OR provisional OR momentary)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:07
L4	21943	((time\$1 ADJ first ADJ discover\$3) OR timestamp\$1 OR timecode\$1 OR (time ADJ code\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:07
L5	11	L4 SAME (L2 SAME L3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:07
L6	0	L1 AND L5	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:09
L7	2398	((711/133) or (711/134) or (711/135) or (711/136) or (711/137)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/16 14:10
L8	313	(711/125).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/16 14:10
L9	84	L7 AND L8	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:10
L10	41112	((time\$1 ADJ first ADJ discover\$3) OR timestamp\$1 OR timecode\$1 OR (time ADJ (code\$1 OR stamp\$1)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:10
L11	5	L9 AND L10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:10
L12	1	L1 AND L11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:12
L13	2143441	((short ADJ lived) OR temp OR temporary OR provisional OR momentary OR (most ADJ recent\$2))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:10
L14	2948453	(flush\$3 OR replac\$3 OR delet\$3 OR remov\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:10

L15	4	L9 AND (L13 SAME L14)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:10
L16	0	L1 AND L15	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:10
L17	9	(L7 OR L8) AND (L10 SAME (L13 SAME L14))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:12
L18	0	L1 AND L17	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:12
L19	2894832	(priorit\$3 OR prioritiz\$3 OR categor\$3 OR catagoriz\$3 OR group\$4 OR level\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:13
L20	183391	L19 near5 L14	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:13
L21	17	L20 SAME L13 AND L7	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:13
L22	2	L1 AND L21	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:14
L23	3940316	((short\$3 ADJ lived) OR duration\$1 OR time OR length)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:14
L24	88	L20 SAME L23 AND L7	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:14
L25	10	L1 AND L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:26
L26	2678	(timestamp OR (time ADJ stamp)) near5 (recent\$2 or current\$2 ADJ4 (timestamp OR (time ADJ stamp)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:26
L27	11	L26 SAME L20	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:26
L28	1	L1 AND L27	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:27
L29	41112	(time\$1 ADJ first ADJ discover\$3) OR timestamp\$1 OR timecode\$1 OR (time ADJ (code\$1 OR stamp\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:27

L30	4421275	compar\$3 OR higher OR lower OR less OR more	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:27
L31	3377427	MRU OR (most ADJ recently ADJ used) OR current\$2 OR recent\$2 OR latest OR present\$2 OR exist\$3 OR active OR activated	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:27
L32	2948453	(flush\$3 OR replac\$3 OR delet\$3 OR remov\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:27
L33	126	(L30 near4 (L29 near4 L31)) SAME L32	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:27
L34	2398	((711/133) or (711/134) or (711/135) or (711/136) or (711/137)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/16 14:27
L35	313	(711/125).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/16 14:27
L36	647	(711/158).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/16 14:27
L37	11	L33 AND (L34 OR L35 OR L36 OR 707/201.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:27
L38	0	L1 AND L37	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:28
L39	3323088	threshold\$1 OR border\$1 OR limit\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:30
L40	10823	(pre ADJ fetch\$3) OR prefetch\$3 OR (pre ADJ read\$3) OR preread\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:30
L41	3500961	(time\$1 ADJ first ADJ discover\$3) OR timestamp\$1 OR timecode\$1 OR (time ADJ (code\$1 OR stamp\$1) OR age OR time)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:30
L42	14	(L30 near4 (L41 near4 L39) SAME L40)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:30
L43	1	L1 AND L42	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:34
L44	13	(L30 near4 (L41 WITH L39) SAME L40)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:42

L45	2	L1 AND L44	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:46
L46	48	(L30 SAME (L41 near4 L39) SAME L40)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:46
L47	5	L1 AND L46	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:53
L48	4449869	compar\$3 OR higher OR lower OR less OR more OR greater OR exceed\$3 OR surpass\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:53
L49	3474831	(flush\$3 OR replac\$3 OR delet\$3 OR remov\$3 OR eras\$3 OR clear\$3 Or substitut\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:53
L50	164	(L48 near4 (L29 near4 L31)) SAME L49	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:53
L51	8	L50 AND ("711"/\$.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:53
L52	0	L1 AND L51	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:57
L53	148	(L48 near4 (L29 WITH L31)) SAME L49	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:58
L54	7	(L53 AND "711"/\$.ccls.) NOT (L51)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 14:58
L55	0	L1 AND L54	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 14:58
L57	369	(L48 WITH (L29 WITH L31)) SAME L49	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:02
L58	18	(L57 AND "711"/\$.ccls.) NOT (L51 OR L54)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:02
L59	0	L1 AND L58	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:06
L60	3422667	threshold\$1 OR border\$1 OR limit\$3 OR boundary OR bound\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:07

L61	3609493	(time\$1 ADJ first ADJ discover\$3) OR timestamp\$1 OR timecode\$1 OR (time ADJ (code\$1 OR stamp\$1) OR age OR time OR (life ADJ (span OR cycle)) OR duration OR span OR period)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:07
L62	10823	(pre ADJ fetch\$3) OR prefetch\$3 OR (pre ADJ read\$3) OR preread\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:07
L63	4449869	compar\$3 OR higher OR lower OR less OR more OR greater OR exceed\$3 OR surpass\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:07
L64	8	((L63 near4 L61) near4 L60) near4 L62	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:07
L65	1	L1 AND L64	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:16
L66	10	((L60 near4 L61) near4 L63) near4 L62	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:17
L67	1	L1 AND L66	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:23
L68	3422667	threshold\$1 OR border\$1 OR limit\$3 OR boundary OR bound\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:23
L69	3609493	(time\$1 ADJ first ADJ discover\$3) OR timestamp\$1 OR timecode\$1 OR (time ADJ (code\$1 OR stamp\$1) OR age OR time OR (life ADJ (span OR cycle)) OR duration OR span OR period)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:23
L70	10823	(pre ADJ fetch\$3) OR prefetch\$3 OR (pre ADJ read\$3) OR preread\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:23
L71	4449869	compar\$3 OR higher OR lower OR less OR more OR greater OR exceed\$3 OR surpass\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:23
L72	10	((L68 near4 L69) near4 L71) near4 L70) OR (((L71 near4 L69) near4 L68) near4 L70)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:23
L73	1	L1 AND L72	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:41

L74	19	(((((L68 near4 L69) near4 L71) SAME L70) OR (((L71 near4 L69) near4 L68) SAME L70)) NOT (L72))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:24
L75	2	L1 AND L74	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:42
L76	3	(((((L68 WITH L69) near4 L71) SAME L70) OR (((L71 WITH L69) near4 L68) SAME L70)) NOT (L72 OR L74))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:24
L77	0	L1 AND L76	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:24
L78	45	(((((L68 WITH L69) WITH L71) SAME L70) OR (((L71 WITH L69) WITH L68) SAME L70)) NOT (L72 OR L74 OR L76))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:24
L79	14	L78 AND "711"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:24
L80	1	L1 AND L79	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:49
L81	21	(((((L68 near10 L69) near10 L71) SAME L70) OR (((L71 near10 L69) near10 L68) SAME L70)) NOT (L72 OR L74 OR L76 OR L79))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:25
L82	0	L1 AND L81	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:25
L83	8217	(trac\$3 near3 program\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:49
L84	2130316	(least ADJ recently ADJ used) OR LRU OR (short ADJ (lived OR term)) OR temp OR temporary OR provisional OR momentary	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:49
L85	195711	((program\$1 ADJ state\$1) OR data OR datum OR information OR address\$3) near3 program\$1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:49
L86	2	(L84 near5 L85) SAME L83	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:49
L87	0	L1 AND L86	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:50

L88	10818	((trace\$1 OR tracing) WITH (program\$1 OR instruction\$1 OR software OR code))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/16 15:50
L89	11	(L84 WITH L85) SAME L88	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/02/16 15:50
L90	0	L1 AND L89	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:51
L91	2398	((711/133) or (711/134) or (711/135) or (711/136) or (711/137)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/16 15:51
L92	313	(711/125).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/16 15:51
L93	16	L88 AND (L91 AND L92)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/16 15:51
L94	0	L1 AND L93	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:51
L95	647	(711/158).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/16 15:51
L96	9235	((trace\$1 OR tracing) near10 (program\$1 OR instruction\$1 OR software OR code))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/16 15:51
L97	736	L96 near5 L85	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/16 15:51
L98	16	L97 AND (L91 OR L92 OR L95)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/02/16 15:51
L99	0	L1 AND L98	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/02/16 15:51